ELSEVIER

Neuroscience Letters 379 (2005) 238–239

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 379

Volume 379, no 1

Sensed presence and mystical experiences are predicted by suggestibility, not by the application of transcranial weak complex magnetic fields
P. Granqvist, M. Fredrikson, P. Unge, A. Hagenfeldt, S. Valind, D. Larhammar, M. Larsson (Sweden) 1
D-Serine enhances impaired long-term potentiation in CA1 subfield of hippocampal slices from aged senescence-accelerated mouse prone/8
S. Yang, H. Qiao, L. Wen, W. Zhou, Y. Zhang (China) 7
The A140V mutation in the *MECP2* gene is not a common etiological factor among Brazilian mentally retarded males
J.M. dos Santos, C.B. Abdalla, M. Campos, Jr., C.B. Santos-Rebouças, M.M.G. Pimentel (Brazil) 13
Age of acquisition modulates the amplitude of the P300 component in spoken word recognition
M.-J. Tainturier, J. Tamminen, G. Thierry (UK) 17
Effects of immersion in virtual reality on postural control
H. Akizuki, A. Uno, K. Arai, S. Morioka, S. Ohyama, S. Nishiike, K. Tamura, N. Takeda (Japan) 23
Adenosine A1 receptors modulate the discharge activities of inspiratory and biphasic expiratory neurons in the medial region of Nucleus Retrofacialis of neonatal rat in vitro
J.-L. Wang, Z.-H. Wu, B.-X. Pan, J. Li (PR China) 27
A family-based association study of schizophrenia with polymorphisms at three candidate genes
S. Duan, R. Gao, Q. Xing, J. Du, Z. Liu, Q. Chen, H. Wang, G. Feng, L. He (PR China) 32
Amygdalic levels of dopamine and serotonin rise upon exposure to conditioned fear stress without elevation of glutamate
M. Yokoyama, E. Suzuki, T. Sato, S. Maruta, S. Watanabe, H. Miyaoka (Japan) 37
Protection by dietary zinc in ALS mutant G93A SOD transgenic mice
I.P. Ermilova, V.B. Ermilov, M. Levy, E. Ho, C. Pereira, J.S. Beckman (USA) 42
Inhibitory effect of CGRP on osteoclast formation by mouse bone marrow cells treated with isoproterenol
K. Ishizuka, K. Hirukawa, H. Nakamura, A. Togari (Japan) 47
Spine-type densities of hippocampal CA1 neurons vary in proestrus and estrus rats
I. González-Burgos, M. Alejandre-Gómez, M. Cervantes (México) 52
Suppression of Pyk2 attenuated the increased tyrosine phosphorylation of NMDA receptor subunit 2A after brain ischemia in rat hippocampus
Y. Liu, G.-Y. Zhang, J.-Z. Yan, T.-L. Xu (PR China) 55
PD-168077, a selective dopamine D_4 receptor agonist, induces penile erection when injected into the paraventricular nucleus of male rats
M.R. Melis, S. Succu, M.S. Mascia, A. Argiolas (Italy) 59
Visual capture of apparent limb position influences tactile temporal order judgments
A. Gallace, C. Spence (UK, Italy) 63
Involvement of serotonin in the hypoglycemic response to 2 Hz electroacupuncture of zusanli acupoint (ST36) in rats
S.-L. Chang, C.-C. Tsai, J.-G. Lin, C.-L. Hsieh, R.-T. Lin, J.-T. Cheng (Taiwan) 69

Volume 379, no 2

Neuronal nitric oxide synthase inhibition differentially affects oxytocin and vasopressin secretion in salt loaded rats
R.R. Ventura, A. Giusti-Paiva, D.A. Gomes, L.L.K. Elias, J. Antunes-Rodrigues (Brazil) 75
The SNAP-25 gene may be associated with clinical response and weight gain in antipsychotic treatment of schizophrenia
D.J. Müller, T.A. Klempan, V. De Luca, T. Sicard, J. Volavka, P. Czobor, B.B. Sheitman, J.-P. Lindenmayer, L. Citrome, J.P. McEvoy, J.A. Lieberman, W.G. Honer, J.L. Kennedy (Canada, Germany, USA) 81
Different regions of the mouse nestin enhancer may function differentially in nestin expression in an NSC-like cell line and astrocytes
Q. Zhang, H. Qin, B. Lang, H. Liu, H. Han, G. Ju (PR China) 90
A role for hypoxia-inducible factor-1α in desferoxamine neuroprotection
S.E.G. Hamrick, P.S. McQuillen, X. Jiang, D. Mu, A. Madan, D.M. Ferriero (USA) 96
Developmental expression of 5-HT_{5A} receptor mRNA in the rat brain
G. García-Alcocer, G. Sarabia-Altamirano, A. Martínez-Torres, R. Miledi (México, USA.) 101
Effects of (±)-huprine Y and (±)-huprine Z, two new anticholinesterasic drugs, on muscarinic receptors
M.M. Alcalá, A. Maderuelo, N.M. Vivas, P. Camps, D. Muñoz-Torrero, M.V. Clos, A. Badia (Spain) 106

doi:10.1016/S0304-3940(05)00414-3

High frequency activities in the human orbitofrontal cortex in sleep–wake cycle
M. Nishida, S. Uchida, N. Hirai, F. Miwakeichi, T. Maehara, K. Kawai, H. Shimizu, S. Kato (Japan) 110
Involvement of CD45 in central nervous system myelination
J. Nakahara, C. Seiwa, K. Tan-Takeuchi, M. Gotoh, K. Kishihara, M. Ogawa, H. Asou, S. Aiso (Japan) 116
Attention deficits in bipolar disorder: a comparison based on the Continuous Performance Test
P. Najt, D. Glahn, C.E. Bearden, J.P. Hatch, E.S. Monkul, S. Kaur, V. Villarreal, C. Bowden, J.C. Soares (USA, Turkey) 122
The role of blind humans' visual cortex in auditory change detection
T. Kujala, M.J. Palva, O. Salonen, P. Alku, M. Huotilainen, A. Järvinen, R. Näätänen (Finland) 127
The uptake and transport behavior of berberine in *Coptidis Rhizoma* extract through rat primary cultured cortical neurons
X. Wang, D. Xing, W. Wang, F. Lei, H. Su, L. Du (China) 132
Rhodopsin promoter-EGFP fusion transgene expression in photoreceptor neurons of retina and pineal complex in mice
A.M. Ichsan, I. Kato, T. Yoshida, K. Takasawa, S. Hayasaka, K. Hiraga (Japan) 138
Task-dependent activation latency in human visual extrastriate cortex
A. Fort, J. Besle, M.-H. Giard, J. Pernier (France) 144

Volume 379, no 3

Association study of the chemokine, CXC motif, ligand 1 (CXCL1) gene with sporadic Alzheimer's disease in a Japanese population
Y. Tamura, Y. Sakasegawa, K. Omi, H. Kishida, T. Asada, H. Kimura, K. Tokunaga, N.S. Hachiya, K. Kaneko, H. Hohjoh (Japan) 149
Delocalization of the multifunctional RNA splicing factor TLS/FUS in hippocampal neurones: exclusion from the nucleus and accumulation in dendritic granules and spine heads
A. Belly, F. Moreau-Gachelin, R. Sadoul, Y. Goldberg (France) 152
Conditioned medium of the primary culture of rat choroid plexus epithelial (modified ependymal) cells enhances neurite outgrowth and survival of hippocampal neurons
Y. Watanabe, N. Matsumoto, M. Dezawa, Y. Itokazu, T. Yoshihara, C. Ide (Japan) 158
5-HT_{2A} and muscarinic receptors in schizophrenia: a postmortem study
I. Matsumoto, Y. Inoue, T. Iwazaki, G. Pavey, B. Dean (Australia, Japan) 164
Involvement of pre- and post-synaptic serotonergic receptors of dorsal raphe nucleus neural network in the control of the sweet-substance-induced analgesia in adult *Rattus norvegicus* (Rodentia, Muridae)
C.I. Miyase, R. Kishi, R.L. de Freitas, D.A. Paz, N.C. Coimbra (Brazil) 169
Recordings from the rat locus coeruleus during acute vagal nerve stimulation in the anaesthetised rat
D.A. Groves, E.M. Bowman, V.J. Brown (UK) 174
Aversive effects elicited by electrical stimulation of the inferior colliculus in normal and audiogenic seizure susceptible rats
A. Bagri, G. Sandner, G. Di Scala (Morocco, France) 180
Production of NGF, BDNF and GDNF in mouse astrocyte cultures is strongly enhanced by a cerebral vasodilator, ifenprodil
M. Toyomoto, S. Inoue, K. Ohta, S. Kuno, M. Ohta, K. Hayashi, K. Ikeda (Japan) 185
Ruffed cells identified in the adult zebrafish olfactory bulb
C.L. Fuller, C.A. Byrd (USA) 190
Mutations in the pantothenate kinase gene *PANK2* are not associated with Parkinson disease
T. Klopstock, M. Elstner, C.B. Lücking, B. Müller-Myhsok, T. Gasser, E. Botz, P. Lichtner, K. Hörtnagel (Germany) 195
An autosomal genomic screen for dementia in an extended Amish family
A.E. Ashley-Koch, Y. Shao, J.B. Rimmler, P.C. Gaskell, K.A. Welsh-Bohmer, C.E. Jackson, W.K. Scott, J.L. Haines, M.A. Pericak-Vance (USA) 199
The multi-herbal formula Guibi-tang enhances memory and increases cell proliferation in the rat hippocampus
M.S. Oh, Y. Huh, H. Bae, D.K. Ahn, S.K. Park (Republic of Korea) 205
Spinal blockade of TNF blocks spinal nerve ligation-induced increases in spinal P-p38
C.I. Svensson, M. Schäfers, T.L. Jones, H. Powell, L.S. Sorkin (USA, Germany) 209
Near-ultraviolet light perceived by the retina generates the signal suppressing melatonin synthesis in the chick pineal gland—an involvement of NMDA glutamate receptors
J. Rosiak, J.B. Zawilska (Poland) 214
Dorsal column lesion reduces mechanical allodynia in the induction, but not the maintenance, phase in spinal hemisected rats
J. Kim, S.K. Back, Y.W. Yoon, S.K. Hong, H.S. Na (South Korea) 218
The effect of 1/*f* fluctuation in inter-stimulus intervals on auditory evoked mismatch field
N. Harada, T. Masuda, H. Endo, Y. Nakamura, T. Takeda, M. Tonoike (Japan) 223
Investigation of the effect of brain-derived neurotrophic factor (BDNF) polymorphisms on the risk of late-onset Alzheimer's disease (AD) and quantitative measures of AD progression
P. Desai, R. Nebes, S.T. DeKosky, M.I. Kamboh (USA) 229

Author Index 235
Volume of Contents 238